







Topic

- 01 broDesign Wood mosaics
- 03 Application
- 05 Design-overview "edition-one"
- 07 Design Amsterdam -
- 09 Design Basel -
- 11 Design Graz -
- 13 Design Hamburg -
- 15 Design Kitzbühel -
- 17 Design Lion -
- 19 Design London -
- 21 Design Nizza -
- 23 Design Rotterdam -
- 25 Design St. Moritz -



broDesign Wood mosaicsCreate unique wood surfaces

If you like to have a varied and modern Wood cladding, you will find the right product with our broDesign Wood mosaics. The different designs are signalized by individuality and versatility.

If wall cladding in the living room, cladding at the bar with indirect lightening, pillar paneling or front of doors, with the broDesign Wooden tile you will have a huge number of design possibilities. You can use this both, in new buildings or for modernization

Through the high flexibility of the single tiles are straightly, curved and round surfaces without high expense easy and fast to do. How easy you can work with the broDesign mosaics, you can read in our Application. You principally don't have to seal the surface or grout joints before you fasten it on a core or on the wall.

The packaging of the broDesign Wood mosaics are 20 pcs each carton.

Because of the black fleece on the back, you can use the broDesign Wood mosaics very flexible. The attachment on the wall for example is very easy and fast. At the Moment we have Oak nature and smoked oak as different kind of woods for you available. In the future we will have more different kind of woods on stock. Of course you can additional process further the tile with color or stain, similar to a other type of wood. All broDesign tile we have, will be delivered without any surface, that means raw.



unique wood surfaces

Application

- 1. Provide a completely dry and leveled surface for mounting broDesign Wood mosaics.
- 2. If broDesign mosaics are mounted directly onto walls (without liner material like plywood), ensure zero water seepage in the wall.
- 3. Applications in wet areas or excessively moist areas are not advisable.
- 4. Any standard glue (substrate to be considered) can be used for mounting broDesign wood mosaics. For standard installations on plywood surfaces standard PVAc white glues are recommended.
- 5. Always insist on using 1,5 mm spacers while laying out individual pieces next to each other. Standard plastic spacers of 1,5 mm can be used.
- 6. Always insist on applying uniform pressure on surfaces when liquid white glues are used and surfaces are left to cure for 6-8 hours.
- 7. Do not sand heavily for lacquering immediately after application.
- 8. If grouting material is wished be secure the surface is dry and minimum one time lacquered. For not flat surfaces we do not recommend any grouting material.
- 9. Epoxy grouts are highly recommended for its water resistance property.
- 10. Clean the surface thoroughly with a moist cloth after filling grouting material to avoid grout remnants on the surface.
- 11. Standard lacguers are used for veneered surfaces are good for mosaics as well.



Easy processing

All Design from "edition-one" as overview

AMSTERDAM



BASEL



GRAZ



LION



ROTTERDAM



ST. MORITZ



edition-one create your style.

HAMBURG



KITZBÜHEL



LONDON




NIZZA














edition-one BASEL





edition-one GRAZ





edition-one HAMBURG

Design KITZBÜHEL

The broDesign wood mosaics "Kitzbühel" is signalized through the different length and thicknesses of the small single tiles. Because of this changing from the length and thicknesses you will have a unique look together with light or shadow.

Total size: 300 x 330 mm

Mosaic size (single): variable
Mosaic each tile: 52 pcs
Thickness: 5-9 mm
Back side: black fleece
Groove: 1,5 mm
Wood direction: horizontal

Kind of wood: Oak nature and smoked oak

(other kind of wood on request)


Weight each tile: approx. 420 g


Packing unit: 20 tile each carton (1,98 m²)
















The broDesign wood mosaics "LONDON" is a bit different to the other Designs because of the curved tiles. This single curved tiles gives a special unusual look when you connect it on a big area.

Total size: 300 x 327 mm

Mosaic size (single): 50 x 25 mm

Mosaic each tile: 72 pcs

Thickness: 8 mm

Back side: black fleece

Groove: 1.5 mm

Groove: 1,5 mm Wood direction: horizontal

Kind of wood: Oak nature and smoked oak

(other kind of wood on request)

Weight each tile: approx. 290 g


Packing unit: 20 tile each carton (1,96 m²)














edition-one N/ZZA







edition-one ST. MORITZ



More information under: www.bro-design.de

