


INSPIRATIONS
CLOSE TO YOU



XTreme

HIGH END MATT SURFACES
FOR EXTRAORDINARY DESIGNS



XTREME MATT SURFACES

SMOOTH. ELEGANT.
EASY TO CLEAN.



Requirements for surfaces are continuously increasing. Therefore we developed various products with high end and supermatt surfaces for different applications.

Our supermatt surfaces combines a precious look, warm and velvety haptic and the anti-fingerprint effect. It is possible to combine different high end surfaces in one project, wherefore each product fits perfect to his application.

Product / Feature	PrimeBoard XTreme Matt (XT)	Duopal XTreme (XM)	Duopal XTreme SolidColor (XM)	Duopal XTreme plus (XP)
Recommended for vertical application	●	●	●	●
Recommended for horizontal application	•	•	•	●
Recommended for highly stressed horizontal application				●
Suitable for postforming		●		
Anti-fingerprint	●	●	●	●
Easy to clean	●	●	●	●
Decor range	●	●	•	•
Wear resistance	•	•	•	●

PRIMEBOARD XTreme Matt (XT)



Purism, which is never out of fashion: With the XTreme Matt surface, Pfleiderer PrimeBoard looks as modern as it is timeless. The extremely matt finish, with less than five gloss units, enthral designers; the velvety feel invites people to touch it. PrimeBoard XTreme Matt gives plain decors and wood reproductions a truly pure and precious appearance. The high degree of everyday suitability is enhanced by the anti-fingerprint effect: it protects the surface against unwanted soiling and enables particularly fast and easy cleaning.

BENEFITS:

- Colour match with DecoBoard and Duropal HPL
- Easy to process and excellent machinability
- Resistant and easy care
- Solvent-free
- Waste-efficient dimensions
- Highly cost-effective

AREAS OF APPLICATION

- Exclusive interior and project fixtures and fittings
- Living room and bedroom furniture/sliding doors
- Bathroom furniture and kitchen fronts
- Also available with PEFC™- or FSC® certification (license code: FSC-C011773) on request
- In exhibition- and shopfitting



Production program:
In general all DST decors are available on request.

STOCK PROGRAMME

Decor Reference	Coordinates	Decor description	Next NCS code	PrimeBoard P2 XTreme Matt (XT) lacquered one side 2.800 x 2.100 mm	PrimeBoard P2 XTreme High Gloss (XG) lacquered one side 2.800 x 2.100 mm
U11026	Crystal White	A1	S0502-G50Y	18/19 mm	18/19 mm
U11027	Icy White	B1	S0505-R60B	18/19 mm	18/19 mm
U11102	Chalk	C1	S0502-G	18/19 mm	18/19 mm
U11509	Magnolia	D1	S0505-Y20R	19 mm	19 mm
U12000	Volcanic Black	A2	S8502-B	18/19 mm	18/19 mm
U12168	Cashmere	C2	S2002-Y50R	19 mm	19 mm
U12188	Light Grey	D2	S2000-N	19 mm	19 mm
U12290	Anthracite	B2	S6502-B	19 mm	19 mm
R24029	Fjord Beech light	A3		19 mm	



Further information and technical data at www.pfleiderer.com

DUROPAL XTreme (XM)



Although the matt, low-reflection surface appears particularly precious, the structure proves robust, durable, and easy-care. The warm, „soft“ surface invites you to touch it – without any lasting fingerprints or traces of grease. XTreme by far exceeds the scratch resistance of comparable matt surfaces. Furthermore it is resistant to normal household detergents. As one of few products of its kind, XTreme has post-forming quality.

BENEFITS:

- Enormous transparency of the colour and depth
- Practical against fingerprints and traces of fat
- Easy to clean also from heavy grease stains
- Combination with nearly every HPL-decors of the Pfleiderer design collection
- Durable, consistent and easy-care
- Food-harmless certificate

AREAS OF APPLICATION

- Residential and the object sector
- Wall and door cladding in interior fitting
- Ship interior fitting
- Furniture manufacturing
- Public and hospitality sector, e.g. restaurants, medical practices, nursery schools

PROPERTIES:

- Matt and low-reflective surface
- Resistant to domestic detergents, chemicals



Porsche centre Mannheim, Germany
© Mike König



Maternity ward Elisabeth hospital, Essen, Germany
© Sylvia LeydeckerHamburg



Glötz Vital centre, Gerlingen, Germany
© matthiessen photography





Glötz Vital centre, Gerlingen, Germany
© matthiessen photography

Production programm:
In general all DST decors are available on request.

Decor reference	Coordinates	Description	NCS code	RAL	STOCK PROGRAMME			
					4,100 x 1,300 x 0.8 mm	Door HPL ¹⁾ 2,350 x 1,300 x 0.8 mm	Worktops 4,100 x 600 / 900 / 1,200 x 38 mm	
U11026	Crystal White	A1	Neutral plain colours	S0502-G50Y	9016	●	●	
U11027	Icy White	B1	Neutral plain colours	S0505-R60B		●	●	●
U11102	Chalk	C1	Neutral plain colours	S0502-G	9003	●		
U11509	Magnolia	D2	Chromatic plain colours	S0505-Y20R	similar 1013	●		
U12000	Volcanic Black	C2	Neutral plain colours	S8502-B	9005	●	●	
U12168	Cashmere	E1	Chromatic plain colours	S2002-Y50R		●		
U12188	Light Grey	D1	Neutral plain colours	S2000-N	7035	●	●	●
U12211	Lava	B2	Chromatic plain colours	S7005-Y50R		●		
U12290	Anthracite	A1	Neutral plain colours	S6502-B		●	●	
U15193	Cuando	E3	Chromatic plain colours	S6005-Y20R	similar 7006	●		
U16002	Congo	B3	Chromatic plain colours	S4005-Y50R		●		
U17005	Carmine Red	B4	Chromatic plain colours	S2070-Y90R	3000	●		
U17013	Mimosa	E2	Chromatic plain colours	S0520-R20B		●		
U18010	Cirrus	A3	Chromatic plain colours	S0040-B		●		
U18014	Stratus	D3	Chromatic plain colours	S4040-B		●		
U19502	Lime	A4	Chromatic plain colours	S4040-G40Y		●		
U19508	Chartreuse	C3	Chromatic plain colours	S1050-G40Y		●		
R20021	Lindberg Oak	E4	Striped plank			●		
R24029	Fjord Beech light	C4	Flowered plank			●		●
R24053	Talinn Beech	D4	Striped plank			●		

¹⁾ HPL also available in door sizes:
2,150 x 915 / 950 / 1,050 / 1,300 x 0.8 mm
2,350 x 1,050 x 0.8 mm

DST DST collection in decor and surface match
X **DST-XPRESS** From stock and fast delivery range
 HPL also available in door sizes
 Also available as a worktop



DUROPAL XTreme SolidColor (XM)



The color through the core creates freedom and new options for monochrome design – without visible butt edges and joints. The durable surface guarantee the highest quality and finish. XTreme SolidColor is a product for the highest demands on aesthetics, functionality and durability.

BENEFITS IN ADDITION TO XTreme:


- Dyed through the core
- Processing without visible butt edges and joints
- High durability

AREAS OF APPLICATION

- Ship interior fitting
- Furniture manufacturing
- Public and hospitality sector, e.g. restaurants, medical practices, nursery schools
- High-quality, aesthetically demanding furniture and design elements, such as for racking and shelving, furniture fronts, door sets and table tops, trade fair systems and sales displays
- The material is not suitable for areas subject to large fluctuations in temperature and humidity



						STOCK PROGRAMME	
Decor reference		Coordinates	Description	NCS code	RAL	Duropal HPL SolidColor	Duropal Element SolidColor P2
U11026	Crystal White	A1	Neutral plain colours	S0502-G50Y	9016	●	●
U11027	Icy White	B1	Neutral plain colours	S0505-R60B		●	●
U11525	Office White	C1	Neutral plain colours	S1002-G50Y		●	●
U12168	Cashmere	D1	Chromatic plain colours	S2002-Y50R		●	●
U12000	Volcanic Black	A2	Neutral plain colours	S8502-B	9005	●	●
U12290	Anthracite	B2	Neutral plain colours	S6502-B		●	●
U12188	Light Grey	C2	Neutral plain colours	S2000-N	7035	●	●
U16001	Sand Grey	D2	Chromatic plain colours	S3005-Y50R		●	●



Further information and technical data at www.pfleiderer.com

DUROPAL XTreme plus (XP)



Duropal XTreme plus is an attractive supermatt surface material, appropriate for surface and edge applications providing the high-performance features of the well-known Duropal HPL products. Duropal XTreme plus is ideally suited for horizontal, heavily used contact surfaces.

BENEFITS:

- Resistant, robust and durable
- Matt, reflection-poor surface
- Comfortably warm, silky haptics
- Efficient: less waste due to long durability
- Anti-fingerprint effect
- Easy to clean also from heavy grease stains
- Food harmless certificate
- Chemical resistance
- No nano particles

AREAS OF APPLICATION

























- For high-stressed applications in interior fitting (wall covering, door sets, etc)
- In furniture manufacturing and shopfitting
- In exhibition- and shipbuilding
- Appropriate for horizontal and vertical applications, for surface and edge
- No postforming possible



						STOCK PROGRAMME
Decor reference		Coordinates	Description	NCS code	RAL	Duropal XTreme plus
U11027	Icy White	A1	Neutral plain colours	S0505-R60B		●
U11102	Chalk	B1	Neutral plain colours	S0502-G	9003	●
U12188	Light Grey	C1	Neutral plain colours	S2000-N	7035	●
U12115	Platinum Grey	D1	Neutral plain colours	S4500-N		●
U12000	Volcanic Black	A2	Neutral plain colours	S8502-B	9005	●
U12986	Grey	B2	Neutral plain colours	S7500-N		●
U12290	Anthracite	C2	Neutral plain colours	S6502-B		●



Stock programme XTreme products

						PRIMEBOARD	XTREME			XTREME SOLIDCOLOR		XTREME PLUS
Decor reference		Description	NCS code	RAL		PrimeBoard XTreme Matt (XT) lacquered one side 2.800 x 2.100 mm	4.100 x 1.300 x 0,8 mm	Door HPL [®] 2.350 x 1.300 x 0,8 mm	Worktops 4.100 x 600/900/1.200 x 38 mm	Duropol HPL SolidColor	Duropol Element SolidColor P2	Duropol XTreme plus
	U11026	Crystal White	Neutral plain colours	S0502-G50Y	9016	●	●	●		●	●	
	U11027	Icy White	Neutral plain colours	S0505-R60B		●	●	●	●	●	●	●
	U11525	Office White	Neutral plain colours	S1002-G50Y						●	●	
	U11102	Chalk	Neutral plain colours	S0502-G	9003	●						●
	U11509	Magnolia	Chromatic plain colours	S0505-Y20R	similar 1013	●	●					
	U12000	Volcanic Black	Neutral plain colours	S8502-B	9005	●		●		●	●	●
	U12168	Cashmere	Chromatic plain colours	S2002-Y50R		●	●			●	●	
	U16001	Sand Grey	Chromatic plain colours	S3005-Y50R						●	●	
	U12188	Light Grey	Neutral plain colours	S2000-N	7035	●		●	●	●	●	●
	U12115	Platinum Grey	Neutral plain colours	S4500-N								●
	U12211	Lava	Chromatic plain colours	S7005-Y50R			●					
	U12290	Anthracite	Neutral plain colours	S6502-B		●		●		●	●	●
	U12986	Grey	Neutral plain colours	S7500-N								●
	U15193	Quando	Chromatic plain colours	S6005-Y20R	similar 7006		●					
	U16002	Congo	Chromatic plain colours	S4005-Y50R			●					
	U17005	Carmine Red	Chromatic plain colours	S2070-Y90R	3000		●					
	U17013	Mimosa	Chromatic plain colours	S0520-R20B			●					
	U18010	Cirrus	Chromatic plain colours	S0040-B			●					
	U18014	Stratus	Chromatic plain colours	S4040-B			●					
	U19502	Lime	Chromatic plain colours	S4040-G40Y			●					
	U19508	Chartreuse	Chromatic plain colours	S1050-G40Y			●					
	R24029	Fjord Beech Light	Flowered plank			●			●			
	R24053	Talinn Beech	Striped plank				●					
	R20021	Lindberg Oak	Striped plank				●					

Pfleiderer Group is the leading producer of materials and solutions for furniture, construction and building industries. The company's annual turnover is **ca. EUR 1 billion**. The company employs approximately **3.600 people**. The headquarters of the group are located in **Wrocław (Poland)** and in **Neumarkt (Germany)**. Pfleiderer has **9 production facilities** in Germany and Poland as well as sales offices in the United Kingdom, the Netherlands, Switzerland, Sweden, Austria, Romania and France.

Pfleiderer Group offers a wide range of innovative products and solutions for companies representing the furniture industry, trade in wood-based materials, as well as companies dealing with interior finishing or skeletal construction, etc. Pfleiderer owns such brands as Duropal and Thermopal and is a trade partner for industry, trade, craft, designers and architects. As Pfleiderer Group S.A. the corporation is **listed on the Warsaw Stock Exchange**.



For customers in the UK:
24-HOUR SERVICE
Samples available to order
around the clock:
Tel.: +44 (0) 1625 660 411
Fax: +44 (0) 1625 617 301
info@pfleiderer.co.uk
www.pfleiderer.co.uk

For all countries except UK:
SAMPLE SERVICE
Tel.: +49 (0) 9181/28 480
Fax: +49 (0) 9181/28 482
samples@pfleiderer.com

*Service and security for your creativity
and your projects.*

© Copyright 2018 Pfleiderer Deutschland GmbH. This information has been compiled with the greatest care. Nevertheless we can assume no liability for the correctness, completeness and up-to-dateness of this information. Colour deviations caused by the printing technology are possible.

In view of the ongoing further development and adaptation of our products, possible amendments to the relevant standards, laws and regulations, our technical data sheets and product documentation expressly do not constitute a legally binding assurance of the properties described there. In particular no guarantee of suitability for a concrete application can be derived. It is therefore the personal responsibility of the individual user in all cases to check the processing and suitability of the products described in this document for the intended application in advance, and to take into consideration the legal framework and the respective state-of-the-art. We furthermore expressly draw attention to the applicability of our General Terms and Conditions.

Our General Terms and Conditions can be found on our Internet website: www.pfleiderer.com

Pfleiderer employs wood from certified sustainable forest Management.



Pfleiderer UK Limited · Oakfield House · Springwood Way · Tytherington Business Park · Macclesfield Cheshire SK10 2XA · England
Tel.: +44 (0) 16 25 660 410 · Fax: +44 (0) 16 25 617 301 · info@pfleiderer.co.uk
Pfleiderer Deutschland GmbH · Ingolstädter Straße 51 · 92318 Neumarkt · Germany
Tel.: +49 (0) 91 81/28 480 · Fax: +49 (0) 91 81/28 482 · info@pfleiderer.com

www.pfleiderer.com